


DC San Ace

High performance axial fans ranging from 40mm square to Ø200mm in 5, 12, 24 and 48 Vdc. Airflow from 3.18 to 369 CFM.



San Cooler

New series of axial fans manufactured at SANYO DENKI PHILIPPINES. Comparable performance to DC SAN ACE with cost reductions from savings due to newly designed fan construction and lower manufacturing costs.




Scirocco Ace

High performance centrifugal blowers in 4 sizes from 76mm to 160mm square at 12Vdc and 24Vdc. Airflow from 8.8 to 57.2 cfm.



Long Life Fans

Fans capable of 100,000 - 200,000 of maintenance-free continuous operation at 60°C.



Splash Proof Fans


Wide range of IPX4 and IP55 rated water protected fans.



Size	60mm X 25mm	80mm X 25mm	92mm X 25mm	119mm X 38mm	140mm X 38mm	140mm X 51mm
Series						
W	_____	IP55	IP55	IP55	IP55	IP55
WS	_____	IPX4	IPX4	IPX4	_____	_____
WA	Oil protected	_____	_____	_____	_____	_____
All	Humi-Seal 1A27					

San Ace MC

Active heatsinks compatible with all the latest Intel®processors.



Customizations and Options

A wide variety of customer-specified fans and options are available to help you achieve optimal cooling performance. Contact the nearest SANYO DENKI representative to discuss your cooling problem with our specialist staff.

- Custom fans
 - Customer-specified fans tailored to requirements
- Custom interconnections
 - Special lead types, lead lengths, sleeving, interconnections
- Thermal speed control and dual-speed fans
 - Intelligent temperature-dependent speed control and dual-speed fans to cool appliances at the required speed, thus reducing noise levels in all operational conditions
- Fan Accessories
 - Finger Guards, Filter Guards, Mounting Clips, etc.
- Alarm Sensors
 - Pulse sensor, Lock Sensor, Inverse Lock Sensor, Low Speed Sensor